From: Richard Rupert/R3/USEPA/US

**Sent:** 1/16/2012 7:46:51 AM

To: "Graves, Suddha" <Sgraves@TechLawInc.com>

CC:

Subject: Re: Dimock - Data Validation

I know we are now at 35 days for validation and would have preferred a shorter time but, with all the back and forth I am willing to live with 35 days as long as we we get our 5 days or less unvalidated. I was just reviewing the Analytical Request Form and it is confused on this point. When I spoke with Sue Warner and Cindy Caporale late last week they were clear on this point.

To answer your question directly - 14 days for the bacteria data and 35 days for the Isotech data is acceptable.

We can talk later if you wish. I am attaching the request form I received from Meade on 9 Jan. Check out at the bottom of the document on the line that presents the following:

Unvalidated Data Requested: No Yes If Yes, TAT Needed: 24hrs 48hrs 72hrs 7days Other (Specify) See comments for PRs/expedited TATs

Why do you think "no" was checked?

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

From: "Graves, Suddha" <Sgraves@TechLawInc.com>

To: Richard Rupert/R3/USEPA/US

Date: 01/16/2012 07:26 AM Subject: Dimock - Data Validation

## Good morning,

I wanted to check with you to see if you had anything in mind regarding the desired TATs for Ft. Meade to validate the data packages from TechLaw's subcontracted labs? We are submitting the request to Ft. Meade and on our draft we currently have 14 days for the bacteria data and 35 days for the Isotech data. We'll be getting weekly data packages for the bacteria and that shouldn't require much to validate those. And if there was a problem, wouldn't want to wait that long to find out.

Are you OK with those TATs or did you want another TAT? Thanks.

Suddha Graves

**TechLaw, Inc.**2208 Warwood Ave
Wheeling, WV 26003
304-230-1230 (office)
304-830-1441 (cell)
304-232-5006 (fax)

DIM0250223 DIM0250223

DIM0250223 DIM0250224